

EXCITE™ FINISH

0-0-20

GUARANTEED ANALYSIS

Soluble Potash (K₂O)20.0%

Derived From: Seaweed extract (*Ascophyllum nodosum*) and Potassium Hydroxide, Potassium Acetate complexed with Citric, Lactic, Malic and Gluconic Acids

ALSO CONTAINS BENEFICIAL SUBSTANCES

20% Seaweed extract (*Ascophyllum nodosum*) (microbe food)
4.0% Carboxylic Acid
6.0% Sugar (microbe food)
21.0% Organic Matter

GENERAL INFORMATION

EXCITE™ FINISH provides a readily available source of potassium, allowing the plant to use less energy to uptake and convert the potassium, while also improving the biological structure of the soil through the addition of microbe food sources. EXCITE™ FINISH can be foliar or soil applied and is recommended for use on all soil types. It can be applied in combination with compatible plant growth regulators, pesticides, or other liquid fertilizers. EXCITE™ FINISH is intended to be a supplement to a fertility program. Always monitor crop nutrient needs and responses with a soil, leaf tissue and irrigation water analysis program.



WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov.

DIRECTIONS FOR USE

SOIL APPLICATIONS

Soil applications may be made through fertigation (sprinklers, microsprinklers, drip, flood or furrow) or sprayed/injected in a band or in transplant solution. When applying this material via a fertigation system, continue to operate the system 30-60 minutes after material has completely injected to flush clean water through the system.

FOLIAR APPLICATIONS

EXCITE™ FINISH is a concentrated solution and should be diluted with water before use to ensure uniform coverage. Do not apply this product foliar in concentrations greater than 15.0%. For maximum results, apply in the early morning or in the evening when air temperatures are optimum for foliar application. Do not apply EXCITE™ FINISH during the hottest time of the day or to plants under drought or flood stress. DO NOT apply this product when the crop is under water stress. Application after irrigation or rainfall is best. Spraying should be carried out on a calm day but not during strong sunshine. Early morning or late afternoon applications are best. If rainfall occurs within 2 hours after application, it may be necessary to re-spray in 3 to 4 days.

PRECAUTIONS

DO NOT APPLY IN COPPER FUNGICIDE SPRAYS.

USE CAUTION WHEN APPLYING WITH GIBBERELIN SPRAYS.

EXCITE™ FINISH IS NOT RECOMMENDED FOR

APPLICATIONS DURING BLOOM PERIODS.

NOT FOR USE IN ORGANIC CROP AND ORGANIC FOOD PRODUCTION.

COMPATIBILITY

This product has a slightly alkaline pH and is compatible with many commonly applied nutrients and crop protection products. Do not mix with basic metal sulfates, strong alkaline materials, or spray oil. Do not mix with citrus or petroleum oils. DO NOT APPLY IN COPPER FUNGICIDE SPRAYS. The pH of any final spray solution should be checked and determined to be appropriate for any tank mixed pesticides. Contact an Ultra Gro, LLC representative for a list of compatible mixes. Jar test for compatibility prior to mixing with any pesticides, fertilizers or fertilizer blends. For unfamiliar mixes, an appropriate amount of the final mix should be applied to a small area of the intended crop to ensure plant compatibility prior to the planned application. User assumes full responsibility to ensure product, equipment and plant compatibilities.

STORAGE AND SHELF LIFE

Store in a sealed container in a cool dry place, out of direct sunlight. Store at temperatures above 32°F and below 95°F. Use within 36 hours of mixing. Re-seal container after each use.

This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard.

LIMITED WARRANTY Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable for any injury or damage caused by this product due to misuse, mishandling, or any application not specifically described on the label.

Information regarding the contents and levels of metals in this product is available at <http://www.aapfco.org/metals.html>. Always refer to the label on the actual product container before using any Ultra Gro, LLC Product

EXCITE™ is a trademark product of Ultra Gro, LLC, Madera, CA. STATES: CA, AZ REV: 022525

Guaranteed by:
Ultra Gro, LLC
1043 S. Granada Drive
Madera, CA 93637 (559) 661-0977

NET CONTENTS:

- 5 gallons (18.92 liters)
 250 gallons (946 liters)

Bulk: _____ gallons, _____ liters

DENSITY: 10.52 pounds per gallon @ 68F°



EXCITE™ FINISH

0-0-20

SUGGESTED APPLICATION RATES & TIMINGS

Recommended but not limited to the following crops:

DISTRIBUTED BY:  **ULTRA GRO**
Ag is Life™

CROP	APPLICATION METHOD	RATE/ PER ACRE	RECOMMENDATIONS AND TIMING
Tree Nuts (Cashews, Pecans, Chestnuts, etc.)	Foliar and Aerial	2-4 quarts	Apply as needed in mid to late season sprays. Apply at Post Harvest to enhance tree vigor and increase nutrient levels within spurs the following season.
	Soil	1-5 gallons	Apply as needed.
Almonds	Foliar and Aerial	1-6 quarts	Apply as needed in mid to late season sprays. Apply at Post Harvest to enhance tree vigor and increase nutrient levels within spurs the following season.
	Soil	1-5 gallons	Apply as needed.
Avocados	Foliar and Aerial	1-4 quarts	Apply as needed in mid to late season sprays. Apply at Post Harvest to enhance tree vigor and increase nutrient levels within spurs the following season.
	Soil	1-5 gallons	Apply as needed.
Blueberries	Foliar and Aerial	1-3 quarts	Apply post-bloom or when deficiency symptoms appear. Repeat as needed.
	Soil	1-3 gallons	Apply as needed.
Carrots	Foliar and Aerial	1-4 quarts	Apply when plants are 3 to 4 weeks old. Repeat as needed.
	Soil	1-3 gallons	
Cherries	Foliar and Aerial	2-4 quarts	Apply as needed in mid to late season sprays. Apply at Post Harvest to enhance tree vigor and increase nutrient levels within spurs the following season.
	Soil	1-5 gallons	Apply as needed.
Citrus	Foliar and Aerial	1-4 quarts	Apply as needed in mid to late season sprays. Apply when color and brix are delayed. Apply 2-3 weeks before anticipated harvest.
	Soil	1-5 gallons	Apply as needed.
Garlic and Onions	Foliar and Aerial	1-4 quarts	Apply when plants are 3 to 4 weeks old. Repeat as needed.
	Soil	1-3 gallons	Apply as needed.
Hops	Foliar and Aerial	1-4 quarts	Apply when plants are 3 to 4 weeks old. Repeat as needed.
	Soil	1-3 gallons	Apply as needed.
Leafy Greens	Foliar and Aerial	1-4 quarts	Apply when plants are 3 to 4 weeks old. Repeat as needed.
	Soil	1-3 gallons	Apply as needed.
Peppers	Foliar and Aerial	1-4 quarts	Apply when plants are 3 to 4 weeks old. Repeat as needed.
	Soil	1-3 gallons	

CROP	APPLICATION METHOD	RATE/ PER ACRE	RECOMMENDATIONS AND TIMING
Pistachios	Foliar and Aerial	1-6 quarts	Apply in summer sprays. Apply at Post Harvest to enhance tree vigor and increase nutrient levels within spurs the following season.
	Soil	1-5 gallons	Apply as needed.
Apples and Pears	Foliar and Aerial	2-4 quarts	Apply as needed in mid to late season sprays. Apply at Post Harvest to enhance tree vigor and increase nutrient levels within spurs the following season.
	Soil	1-5 gallons	Apply as needed.
Potatoes – Sweet Potatoes	Foliar and Aerial	1-4 quarts	Apply when plants are 3 to 4 weeks old. Repeat as needed.
	Soil	1-4 gallons	
Rice	Foliar and Aerial	1-4 quarts	Apply when plants are 3 to 4 weeks old. Repeat as needed.
	Soil	1-4 gallons	
Stone Fruits	Foliar and Aerial	2-4 quarts	Apply as needed in mid to late season sprays. Apply at Post Harvest to enhance tree vigor and increase nutrient levels within spurs the following season.
	Soil	1-5 gallons	Apply as needed.
Strawberries (and other berries)	Foliar and Aerial	1-3 quarts	Apply post-bloom or when deficiency symptoms appear. Repeat as needed every 7-14 days.
	Soil	1-3 gallons	Apply as needed.
Table Grapes	Foliar and Aerial	1-3 quarts	Apply beginning at Veraison. Repeat every 7 to 10 days as needed.
	Soil	1-3 gallons	Apply as needed.
Tomatoes (All types)	Foliar and Aerial	1-4 quarts	Apply when plants are 3 to 4 weeks old. Repeat as needed.
	Soil	1-5 gallons	
Walnuts	Foliar and Aerial	1-6 quarts	Apply in summer sprays. Apply at Post Harvest to enhance tree vigor and increase nutrient levels within spurs the following season.
	Soil	1-5 gallons	Apply as needed.
Wine Grapes	Foliar and Aerial	1-3 quarts	Apply beginning at Veraison. Repeat every 7 to 10 days as needed.
	Soil	1-3 gallons	Apply as needed.