

ULTRA GRO LLC
Safety Data Sheet
Ultra Gro Molybdenum 5%



SECTION 1: Identification

- 1.1 GHS Product identifier**
Product name Ultra Gro Molybdenum 5%
Product number 32024
- 1.2 Other means of identification**
Sodium Molybdate
- 1.3 Recommended use of the chemical and restrictions on use**
Agricultural/Horticultural Use- Micronutrient Fertilizer-
- 1.4 Supplier's details**
Name Ultra Gro LLC
Address 1043 S Granada Ave
Madera CA 93637 USA
Telephone (559) 661-0977
Email office@ultragro.com
- 1.5 Emergency phone number** 1-800-424-9300 - CHEMTREC - U.S. Canada, Puerto Rico - 24 Hrs

SECTION 2: Hazard identification

- General hazard statement**
The substance does not meet the criteria for classification.
- 2.1 Classification of the substance or mixture**
GHS classification by OSHA (29 CFR 1910.1200, 2012)
Not a hazardous substance or mixture.
- 2.2 GHS label elements, including precautionary statements**
Not a hazardous substance or mixture.
- 2.3 Other hazards which do not result in classification**
Not a hazardous substance or mixture.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures**
Hazardous components
1. Sodium molybdate
Concentration 3 - 7 % (weight)
EC no. 231-551-7
CAS no. 7631-95-0

Trade secret statement (OSHA 1910.1200(i))
Designates that a specific chemical identity and/or composition percentage has been withheld as a trade secret.
The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

SECTION 4: First-aid measures

- 4.1 Description of necessary first-aid measures**
If inhaled, Move to fresh air. Call a physician if symptoms develop or persist.
In case of skin contact, wash it off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact, rinse it with water. Get medical attention if irritation develops and persists.
If swallowed, rinse mouth. Get medical attention if symptoms occur.
Personal protective equipment for first-aid responders: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
- 4.2 Most important symptoms/effects, acute and delayed**
Direct contact with the eyes may cause temporary irritation.
- 4.3 Indication of immediate medical attention and special treatment needed, if necessary**
Treat symptomatically.

SECTION 5: Fire-fighting measures

- 5.1 Suitable extinguishing media**

Safety Data Sheet

Ultra Gro Molybdenum 5%

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂). Do not use the water jet as an extinguisher, as this will spread the fire.

5.2 Specific hazards arising from the chemical

During a fire, gases hazardous to health may be formed.

5.3 Special protective actions for fire-fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Move containers from the fire area if you can do so without risk.

Further information

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

6.2 Environmental precautions

Avoid discharge into drains, water courses, or onto the ground.

6.3 Methods and materials for containment and cleaning up

Large Spills: Stop the material flow if this is done without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand, or earth and place into containers. Following product recovery, flush the area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean the surface thoroughly to remove residual contamination.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in a tightly closed container. Store away from incompatible materials (see Section

7.2 Conditions for safe storage, including any incompatibilities

Store in a secured area away from children, feed, and other food products. Store in the original container. Store in a well-ventilated area. Storage temperature: 40 F to 100 F.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Sodium molybdate (CAS: 7631-95-0 EC: 231-551-7)

PEL-TWA (Inhalation): 0.5 mg/m³; US (Cal/OSHA)

8.2 Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits if applicable. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection: Wear appropriate chemical-resistant gloves.

Other: Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Safety Data Sheet

Ultra Gro Molybdenum 5%

SECTION 9: Physical and chemical properties

Basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Color	Dark Brown
Odor	Slight
Odor threshold	Not available
Melting point/freezing point	Not available
The boiling point or initial boiling point and boiling range	are Not available
Flammability	Not applicable
Lower and upper explosion limit/flammability limit	Not available
Flash point	Not available
Explosive properties	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Oxidizing properties	Not available
pH	6.7
Kinematic viscosity	Not available
Solubility	soluble
Partition coefficient n-octanol/water (log value)	Not available
Vapor pressure	0.00001hPa estimated
Evaporation rate	Not available
Density and/or relative density	1.1 gm/cm3, 9.2 #/gallon
Relative vapor density	Not available

Further safety characteristics (supplemental)

Molecular formula:	Na ₂ MoO ₄ ·2H ₂ O
Molecular weight:	205.92 g/mol
Percent volatile:	86.8 % as water estimated

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable and non-reactive under regular use, storage, and transport conditions.

10.2 Chemical stability

Material is stable under normal conditions.

Hazardous decomposition No hazardous decomposition products are known.

10.3 Possibility of Hazardous Reactions

No dangerous reaction is known under conditions of normal use.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources.

10.5 Incompatible materials

Incompatible materials Strong oxidizing agents.

10.6 Hazardous decomposition products

Hazardous decomposition: No dangerous decomposition products are known.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Prolonged inhalation may be harmful.

Skin corrosion/irritation

No adverse effects due to skin contact are expected.

Severe eye damage/irritation

Direct contact with the eyes may cause temporary irritation.

Respiratory or skin sensitization

Not a respiratory sensitizer.

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data is available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Safety Data Sheet

Ultra Gro Molybdenum 5%

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Summary of evaluation of the CMR properties

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

The US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Specific target organ toxicity (STOT) - single exposure

Not classified

Specific target organ toxicity (STOT) - repeated exposure

Not classified

Aspiration hazard

Not an aspiration hazard

Additional information

Prolonged inhalation may be harmful.

SECTION 12: Ecological information

Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can harm or damage the environment.

Persistence and degradability

No data is available on the degradability of this substance.

Bioaccumulative potential

No data are available.

Mobility in soil

No data are available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal instructions Local disposal regulations Hazardous waste code

Collect, reclaim, or dispose of in sealed containers at licensed waste disposal sites. Dispose of all applicable regulations.

The waste code should be assigned during a discussion between the user, the producer, and the waste disposal company.

Dispose of by local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after the container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Packaging disposal

Dispose of by local regulations.

Since emptied containers may retain product residue, follow label warnings even after the container is emptied. Empty containers should be triple-rinsed and taken to an approved waste handling site for recycling or disposal.

Waste treatment

Do not allow products to enter storm drains or waterways.

Safety Data Sheet

Ultra Gro Molybdenum 5%

Sewage disposal

Do not allow products to enter sewage treatment systems.

Other disposal recommendations

Empty containers should be triple rinsed and taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations specific to the product in question

US EPA TSCA public inventory

Chemical name: Zincate(2-), [[N,N'-1,2-ethanediybis[N-[(carboxy-kappaO)methyl]glycinato-kappaN,kappaO]](4-)]-, sodium (1:2), (OC-6-21)-
CAS number: 14025-21-9

US EPA TSCA public inventory

Chemical name: Sodium molybdate
CAS number: 7631-95-0

15.2 Chemical Safety Assessment

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

SARA 302 Extremely hazardous substance

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Not listed.

SARA 311/312 Hazardous No
chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US state regulations


California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

HMIS Rating

Ultra Gro Molybdenum 5%	
HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	A

NFPA Rating



Safety Data Sheet

Ultra Gro Molybdenum 5%

SECTION 16: Other information

16.1 Further information/disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information, and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made concerning the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process unless specified herein. The user assumes all risk and liability for loss, injury, damage, or expense due to any use, handling, storage, or disposal of the Product, and the Manufacturer recommends that the user conducts its tests of the Product to determine the suitability of the Product for the user's particular use.